

Technical specifications

Pacifico Adventure 99



Description

Pacifico Adventure 99 is a new concept of pleasure catamarans that combines a high level of comfort, practical use of the interior space and seaworthy features of the hull. The vessel is ideal for resting with family or friends with the possibility of a comfortable overnight stay at the anchorage.

The project is developed by the CB "Albatross Marine Design", chief designer is Albert Nazarov.


Main characteristics

Construction	Carbon fiber reinforced epoxy composites
length	9,9 m
Beam	3,62 m
Passengers	10 passengers
Draught	0,44 m
Engines	2 x 115-300 HP
Fuel tanks	2 x 600 l
Maximum speed	40 knots
Cruising speed	25 knots

Variants of the hull color

Colors of the elements	Board	Cabin	Waterline
Gray			
Marine			

Layout



Exterior	
Hull and deck	
Hull painted white	v
Glazing	v
Freeboard and waterline coloring	v
Bow part of the main deck	
Technical equipment storage rooms	v
Stainless steel fencing	v
Aft part of the main deck	
Storage box	2
Sofa	1
Stairway to pass along the side	2
Stainless steel fencing	v
Upper deck	
Soft lounge area	1
Interior	
Saloon	
Steering post with a steering wheel and control systems	1
Captain's chair	1
Dining table	1
Sofa	1
Chair	2
Stairs down into the float	2
Sink	1
Gas oven	1
Galley counter	1
Bow cabin in the right float	
Double berth	1
Hanging locker	1
Nest of drawers	1
Carpeting	v
LED lights	v

Aft cabin in the left float	
Bunk	1
LED lights	v
Bathroom in the left float	
Shower	1
Toilet	1
Sink	1
Mirror	1
Engineering systems	
Power system	
Suzuki DF200TX boat engine	2
Remote and steering control systems	1
Navigation equipment	
AXIOM 9 RV Display	1
Quantum Q24C Radar	1
Stationary radio station Raymarine Ray52	1
RV-300 RealVision 3D Plastic Mortise Sensor 0 °	2
Mooring equipment	
Anchor roles	1
Anchor end	50
Anchor	1
Anchor swivel	1
Mooring hook	6
Fenders	4
Water supply system	
Fresh water tank, 120 l	1
Deck filler neck	1
Filling hose	5
Ventilation head	1
Ventilation hose	10
Water level sensor	1
Water level indicator	1

Hydrophore	1
Mixer	1
Galley mixer	1
Hot/cold water hose	1
Stop valve	9
Stop valve fitting	9
Waste water system	1
Water pumping system	
Bilge pump	4
Outboard fitting	4
Ball joint	4
Fittings to ball joint	4
Hose	25
Float auto switcher	4
Electrical equipment	
Battery	4
Cabling system + cable route	1
Board power supply panels	2
Fuse panels	2
Fire suppression systems	
Fire extinguisher	3
Firecloth	2
Life saving devices	
Lifebuoy	1
Saving end of Alexandrov	1
Missile \ falshfeyer	1
Life vest	6
Saving light	6
Fuel system	
Fuel Tank, 600 liters	2
Deck filler neck	2
Filling hose	14

Ventilation head	2
Ventilation hose	10
Stop valve	16
Stop valve fitting	32
Adapter 1\4 to 1\2	32
Fuel hose	10
Fuel level indicator	2
Fuel gauge	2
Deck equipment	
Deck spotlight	1
Foghorn	1
Outdoor Ceiling Lighting	3
Light above the steering	3
Red navigation light, 2 miles visibility	1
Green navigation light, 2 miles visibility	1
Stern navigation light, 2 miles visibility	1
Parking lights, 2 miles visibility	1

Certification of the vessel in accordance with the international ISO Small craft standard, category B.

All sizes and weights were calculated based on the design documentation. The presented technical specification is an advertising and is not ϕ part of the contract. We reserve the right to change or improve our product without special notice. All rights reserved